


January 2012

In order to receive Anti-Virus alerts to your Twitter account, configure a new synchronizing API through: <https://dev.twitter.com/apps> which will automate the API for you.

## Configure Twitter Application

1. Log in to your Twitter account at URL <https://dev.twitter.com/apps>



2. Click **Create a new application**

Create a new application

3. Type the new application information as follows:


Parameter	Information
<b>Name</b>	iSecurity Anti-Virus
<b>Description</b>	Full Virus Protection for iSeries Servers
<b>Website</b>	<a href="http://www.razlee.com/products/security/anti%20virus/anti_virus_for_iseries_o.php">http://www.razlee.com/products/security/anti%20virus/anti_virus_for_iseries_o.php</a>

4. Check the "I agree" checkbox and then click the "Create your Twitter application" button.

Create your Twitter application

A confirmation will appear.

- When the application is ready, navigate to **My Applications** and click on the new **iSecurity Anti-Virus** application to display the details



- Copy the information from the **Consumer key** and **Consumer secret** fields under **OAuth settings** to the appropriate fields in the **Anti-Virus Twitter Definitions** screen.

OAuth settings	
Your application's OAuth settings. Keep the "Consumer secret" a secret. This key should never be human-readable in your application.	
Access level	Read, write, and direct messages <a href="#">About the application permission model</a>
Consumer key	W6Gpgc8B4sKcFQgJdjPVg
Consumer secret	i20rZuJu5c9MLtcUk4sBM7Hh512uK1MTLwFX76ivAFU
Request token URL	https://api.twitter.com/oauth/request_token
Authorize URL	https://api.twitter.com/oauth/authorize
Access token URL	https://api.twitter.com/oauth/access_token
Callback URL	http://www.razlee.com/

- Copy the information from the **Access token** and **Access token secret** fields under **Your access token** to the appropriate fields in the **Anti-Virus Twitter Definitions** screen.

Your access token	
Use the access token string as your "oauth_token" and the access token secret as your "oauth_token_secret" to sign requests with your own Twitter account. Do not share your oauth_token_secret with anyone.	
Access token	37684453-yQIDwSi7SuWZqec1wb8rYQNiQICM2i2MXRABubQD
Access token secret	EPiujqCw6vFT3aRGgd9rAwU7OM4AWftixsBkrkU8
Access level	Read-only

Twitter Definitions

Type options, press Enter.

```
Twitter User ID . 520_zvi
Consumer key . *****
Consumer secret . *****
Access token . *****
Token secret . *****
```

F3=Exit F12=Cancel